

# SHIPYARD CUP X

BOOTHBAY HARBOR, MAINE  
August 10-12, 2012

## 2012 RACE REGISTRATION FORM

YACHT NAME: \_\_\_\_\_ HAILING PORT: \_\_\_\_\_

OWNER: \_\_\_\_\_ PHONE: \_\_\_\_\_

EMAIL ADDRESS: \_\_\_\_\_

MAILING ADDRESS:

\_\_\_\_\_  
\_\_\_\_\_

CAPTAIN: \_\_\_\_\_ PHONE: \_\_\_\_\_

EMAIL ADDRESS: \_\_\_\_\_

**ENTRY FEE:**

**\$2,500 USD**

- Please note that the entry fee includes 8 participants per yacht. If you will have more than 8 in your party, please add \$75.00 for each additional guest. Additional guests may also be added during registration.

**ADDITIONAL GUESTS:**

**\$\_\_\_\_\_ USD**

**TOTAL ENTRY FEE:**

**\$\_\_\_\_\_ USD**

**BUCKET RATING FEE:**

- New Rating: \$900 \$ \_\_\_\_\_ USD
- 2012 Revalidation: \$450 \$ \_\_\_\_\_ USD
- Revalidation with changes: \$600 \$ \_\_\_\_\_ USD
- Mid-year changes: \$300 \$ \_\_\_\_\_ USD

**TOTAL BUCKET RATING FEE** \$ \_\_\_\_\_ USD

\*Fees are valid for all 2012 Bucket Regattas, all 2012 Superyacht Regattas and the 2012 Shipyard Cup. If your rating is current from other Bucket Rating Events, no fee is due.

**TOTAL FEES:** \$ \_\_\_\_\_ USD

Please make checks payable to:

SHIPYARD CUP, LLC  
PO BOX 505  
14 SCHOOL STREET  
EAST BOOTHBAY, MAINE USA  
04544

Or, if preferred wire transfers are accepted:

Bank of Maine  
190 Water Street  
Gardiner, Maine 04345 USA  
ABA #: 211272465  
Account #: 90419373

\*Ratings: Please complete the attached ratings application and return with your payment. The Ratings fees and ratings application will be forwarded to Jim Teeters.

I have read and accept the above policies:

\_\_\_\_\_  
AUTHORIZED SIGNATURE

\_\_\_\_\_  
DATE

Please sign and email to [registration@shipyardcup.com](mailto:registration@shipyardcup.com); fax 207 633 4668.

If you have any questions, please call Ed Roberts or Erin Buehler at SYC 207 633 4194.

# 2012 BUCKET RULE APPLICATION

Yacht Name: \_\_\_\_\_  
Hailing Port: \_\_\_\_\_  
Skipper: \_\_\_\_\_ Phone: \_\_\_\_\_ Email: \_\_\_\_\_  
Owner: \_\_\_\_\_ Phone: \_\_\_\_\_ Email: \_\_\_\_\_

To assist in our efforts to provide the fairest ratings possible, please fill out all the information below. If you have any questions about this application contact us at [jim@tytech.org](mailto:jim@tytech.org). It would also be very helpful if you ask your designer and/or sailmaker to e-mail measurements directly to that address. The more accurate data reported, the better for us to assign your most favorable VPP.

Builder: \_\_\_\_\_ Designer: \_\_\_\_\_ Year: \_\_\_\_\_  
Hull Material: \_\_\_\_\_

**Yacht Dimensions** (circle units)  
Length Overall: \_\_\_\_\_ (m/f)  
Length Waterline: \_\_\_\_\_ (m/f)  
Maximum Beam: \_\_\_\_\_ (m/f)  
Displacement: \_\_\_\_\_ (tons, kg, lbs)

**Rig Type**  
 Sloop  
 Ketch  
 Yawl  
 Schooner

**Sail Areas** (circle units: m<sup>2</sup> f<sup>2</sup>)  
Largest H'dsail: \_\_\_\_\_  
Mainsail: \_\_\_\_\_  
Spinnaker: \_\_\_\_\_  
Mizzen: \_\_\_\_\_  
Mizzen Staysail: \_\_\_\_\_  
Total Upwind: \_\_\_\_\_  
Total Offwind: \_\_\_\_\_

## Keel

Keel Type (check all that apply)

Full Length  
 Fin  
 Fin Bulb  
 Centerboard  
Fixed Keel Draft: \_\_\_\_\_ (m/f)  
Draft, Board Dn: \_\_\_\_\_ (m/f)  
Ballast Weight: \_\_\_\_\_ (tons, kg, lbs)

## Genoa/Jib

IG (height of hoist above deck): \_\_\_\_\_ (m/f)  
LP (% overlap of largest h'dsail): \_\_\_\_\_ (m/f)  
J (Length from mast to h'dstay): \_\_\_\_\_ (m/f)

## Mainsail

P (luff, boom to hoist): \_\_\_\_\_ (m/f)  
E (foot, mast to outhaul): \_\_\_\_\_ (m/f)

## Prop Type

Fixed Number: \_\_\_\_\_  
 Feathering  
 Folding

Leach Shape  
 High Roach  
 Typical Roach  
 Straight Line  
 Hollow

Stowage  
 In Mast  
 In Boom  
 On Boom  
 Other

Battens?  
 Yes  
 No

## Boat Features (check if applicable)

This yacht requires furling the genoa more than 33% when tacking.

## Mizzen

PY (luff, boom to hoist): \_\_\_\_\_ (m/f)  
EY (foot, mast to outhaul): \_\_\_\_\_ (m/f)

## Any Comments on Boat

\_\_\_\_\_  
\_\_\_\_\_

## Spinnaker Type

Symmetric  
 Asymmetric  
 None

## Spinnaker Tack Point

On Center (Deck/Sprit)  
 On Moveable Pole

ISP (height of hoist above deck): \_\_\_\_\_ (m/f)  
SPL (mast to tack point): \_\_\_\_\_ (m/f)  
Mid Girth: \_\_\_\_\_ (m/f)